

## Author index to volume 102 (1992)

- Amar, D., A condition for a hamiltonian bipartite graph to be bipancyclic (3) 221–227
- Astíé-Vidal, A. and V. Dugat, Near-homogeneous tournaments and permutation groups (2) 111–120
- Baartmans, A., W. Wallis and J. Yucas, A geometric construction of the Steiner system  $S(4, 7, 23)$  (2) 177–186
- Barcucci, E. and M.C. Verri, Some more properties of Catalan numbers (3) 229–237
- Bienstock, D., On the complexity of testing for odd holes and induced odd paths (*Corrigendum*) (1) 109
- Borodin, O.V., Diagonal coloring of the vertices of triangulations (*Note*) (1) 95–96
- Borodin, O.V. and J. Mayer, Decomposition of  $K_{13}$  into a torus graph and a graph imbedded in the Klein bottle (*Note*) (1) 97–98
- Brown, J.I., A vertex critical graph without critical edges (*Note*) (1) 99–101
- Brualdi, R.A., N. Cai and V.S. Pless, Orphan structure of the first-order Reed–Muller codes (3) 239–247
- Caccetta, L. and W.F. Smyth, Graphs of maximum diameter (2) 121–141
- Cai, L. and D. Corneil, On cycle double covers of line graphs (*Note*) (1) 103–106
- Cai, N., see Brualdi, R.A. (3) 239–247
- Cohn, J.H.E., A  $D$ -optimal design of order 102 (*Communication*) (1) 61–65
- Collatz, L., The 93 classes of equitilings of the plane with characteristics  $\geq 3$  (1) 1–11
- Corneil, D., see Cai, L. (1) 103–106
- Crama, Y., M. Loeb and S. Poljak, A decomposition of strongly unimodular matrices into incidence matrices of digraphs (2) 143–147
- Dugat, V., see Astíé-Vidal, A. (2) 111–120
- Erdős, P. and A. Sárközy, Arithmetic progressions in subset sums (3) 249–264
- Foldes, S., I. Rival and J. Urrutia, Light sources, obstructions and spherical orders (1) 13–23
- Hamilton, G.M. and D.G. Rogers, Further results on irregular, critical perfect systems of difference sets I: split systems (1) 25–45
- Hammer, J. and D.G. Sarvate, Generalizations of results of Stanton on BIBDs (2) 149–154
- Hart, M.R. and X. Yu, On a problem of Hendry (*Note*) (1) 107–108
- Heden, O., On the modular  $n$ -queen problem (2) 155–161
- Hendry, G.R.T., An Ore-type sufficient condition for a bipancyclic ordering (1) 47–49
- Hoàng, C.T., F. Maffray, S. Olariu and M. Preissmann, A charming class of perfectly orderable graphs (*Communication*) (1) 67–74
- Jackson, B., H. Li and Y. Zhu, Dominating cycles in regular 3-connected graphs (2) 163–176
- Kleinschmidt, P. and S. Onn, On the diameter of convex polytopes (*Communication*) (1) 75–77
- Landman, B.M., Ramsey functions related to the van der Waerden numbers (3) 265–278
- Li, H., see Jackson, B. (2) 163–176
- Loeb, M., see Crama, Y. (2) 143–147
- Maffray, F., see Hoàng, C.T. (1) 67–74
- Marušič, D., R. Scapellato and N. Zagaglia Salvi, Generalized Cayley graphs (3) 279–285
- Mayer, J., see Borodin, O.V. (1) 97–98
- Moss, L.S., Distanced graphs (3) 287–305
- Myrvold, W., The degree sequence is reconstructible from  $n - 1$  cards (2) 187–196
- Olariu, S., see Hoàng, C.T. (1) 67–74
- Onn, S., see Kleinschmidt, P. (1) 75–77
- Payan, C., see Sun, S.X. (1) 79–83
- Pless, V.S., see Brualdi, R.A. (3) 239–247

- Onn, S., see Kleinschmidt, P. (1) 75–77  
 Payan, C., see Sun, S.X. (1) 79–83  
 Pless, V.S., see Brualdi, R.A. (3) 239–247  
 Poljak, S., see Crama, Y. (2) 143–147  
 Preissmann, M., see Hoàng, C.T. (1) 67–74  
 Rival, I., see Foldes, S. (1) 13–23  
 Rogers, D.G., see Hamilton, G.M. (1) 25–45  
 Sárközy, A., see Erdős, P. (3) 249–264  
 Sarvate, D.G., see Hammer, J. (2) 149–154  
 Scapellato, R., see Marušič, D. (3) 279–285  
 Sheehan, J., Balanced graphs with minimum degree constraints (3) 307–314  
 Smyth, W.F., see Caccetta, L. (2) 121–141  
 Sun, S.X. and C. Payan, Sur l'immersion gracieuse de  $K_N$  dans  $Q_n$  (*Communication*) (1) 79–83  
 Urrutia, J., see Foldes, S. (1) 13–23  
 Verri, M.C., see Barcucci, E. (3) 229–237  
 Wallis, W., see Baartmans, A. (2) 177–186  
 Wilkeit, E., The retracts of Hamming graphs (2) 197–218  
 Woodall, D.R., Local and global proportionality (3) 315–328  
 Yu, X., On several symmetry conditions for graphs (1) 51–59  
 Yu, X., see Hart, M.R. (1) 107–108  
 Yucas, J., see Baartmans, A. (2) 177–186  
 Zagaglia Salvi, N., see Marušič, D. (3) 279–285  
 Zeilberger, D., A proof of Julian West's conjecture that the number of two-stack-sortable permutations of length  $n$  is  $2(3n)!/((n+1)!(2n+1)!)$  (*Communication*) (1) 85–93  
 Zhu, Y., see Jackson, B. (2) 163–176

